

■ GEBERIT

Covert affairs.


Geberit concealed cisterns

Know-how
from
Switzerland

Concealed allrounders.

For every bathroom the right cistern.

Geberit actuator plate overview 5



What you see is what you get. The Geberit actuators are the only part of the concealed cisterns that you see and touch several times a day. Find the applications and an overview.

Introduction to the Geberit cisterns 10



There is a long history behind the Geberit concealed cisterns. Find out more about the background and the advantages.

Geberit Omega cisterns 16



Geberit Omega cisterns offer solutions for low height applications.

Geberit Alpha cisterns 20



Geberit Alpha cisterns are the latest members of the family.

The Geberit actuator plates not only come in a large variety of designs, but also for every application. Be it at home, in a semi-public place like a hospital, or in a public place with a high traffic like e.g. an airport: there is an actuator plate for every requirement.



Feel at home

For the bathroom at home all options are available: there is a vast variety of designs to choose from, single flush, dual flush or stop-and-go flush. Even touchless solutions might be interesting, depending on your needs and bathroom design.



Semi-public solutions


For hotels, restaurants or hospitals there are a lot of touchless actuators available that even offer a dual flush system, helping you saving water. Of course all aspects of hygienic requirements are covered.

Geberit Sigma cisterns 12



Geberit Sigma cisterns are providing a lot of possibilities for high-class design in your bathroom.

Technical information 22



When do you install which cistern? Find the answers.

Overview of all cisterns 23



All the available cisterns at one glance.



High-traffic public places

If you run a public toilet at a train station, an airport or in a night-club, you go for the vandal-proof actuators made of stainless steel. The infra-red steered actuators that offer a single flush, cleaning automatically after every use, should also be in the centre of attention.

Actuator plates.

An overview.

Sigma01

→ Flush technology: dual flush
→ Outer dimensions: 246 mm x 164 mm



→ 115.770.11.5
Product material: plastic
white alpine



→ 115.770.21.5
Product material: plastic
bright chrome-plated



→ 115.770.46.5
Product material: plastic
matt chrome-plated



→ 115.770.KA.5
Product material: plastic
bright chrome/matt chrome



→ 115.770.DW.5
Product material: plastic
jet black RAL 9005



→ 115.770.DT.5
Product material: plastic
special brass (colour)

Mambo

→ Flush technology: stop-and-go flush
→ Outer dimensions: 246 mm x 164 mm



→ 115.751.00.1*
Product material: stainless steel
stainless steel brushed

Sigma10

→ Flush technology: stop-and-go flush
→ Outer dimensions: 246 mm x 164 mm



→ 115.758.KJ.5
Product material: plastic
white/bright chrome/white



→ 115.758.KK.5
Product material: plastic
white/gold-plated/white




→ 115.758.KL.5
Product material: plastic
white/matt chrome/matt chrome



→ 115.758.KH.5
Product material: plastic
bright chrome/matt chr/bright chr



→ 115.758.KN.5
Product material: plastic
matt chrome/bright chr/matt chr



→ 115.758.KM.5
Product material: plastic
black/bright chrome/black



→ 115.758.SN.5*
Product material: stainless steel
stainless steel brushed/pol/br



→ 115.890.SN.5**
Product material: stainless steel
stainless steel brushed/pol/br

Sigma10 IR

→ Flush technology: touchless, electronic
→ Outer dimensions: 246 mm x 164 mm



→ 115.907.KJ.1
Product material: plastic
white/bright chrome/white



→ 115.907.KK.1
Product material: plastic
white/gold-plated/white



→ 115.907.KL.1
Product material: plastic
white/matt chrome/matt chrome



→ 115.907.KH.1
Product material: plastic
bright chrome/matt chr/bright chr



→ 115.907.KN.1
Product material: plastic
matt chrome/bright chr/matt chr



→ 115.907.KM.1
Product material: plastic
black/bright chrome/black



→ 115.907.SN.1
Product material: stainless steel
stainless steel brushed/pol/br



→ 115.906.SN.1*
Product material: stainless steel
stainless steel brushed/pol/br

Sigma20


→ Flush technology: dual flush
→ Outer dimensions: 246 mm x 164 mm



→ 115.882.KJ.1
Product material: plastic
white/bright chrome/white



→ 115.882.KK.1
Product material: plastic
white/gold-plated/white



→ 115.882.KL.1
Product material: plastic
white/matt chrome/matt chrome



→ 115.882.KH.1
Product material: plastic
bright chrome/matt chr/bright chr



→ 115.882.KN.1
Product material: plastic
matt chrome/bright chr/matt chr



→ 115.882.KM.1
Product material: plastic
black/bright chrome/black




→ 115.882.SN.1
Product material: stainless steel
stainless steel brushed/pol/br



→ 115.889.SN.1*
Product material: stainless steel
stainless steel brushed/pol/br

Sigma30

→ Flush technology: dual flush
→ Outer dimensions: 246 mm x 164 mm



→ 115.883.KJ.1
Product material: plastic
white/bright chrome/white



→ 115.883.KK.1
Product material: plastic
white/gold-plated/white



→ 115.883.KL.1
Product material: plastic
white/matt chrome/matt chrome



→ 115.883.KH.1
Product material: plastic
bright chrome/matt chr/bright chr



→ 115.883.KN.1
Product material: plastic
matt chrome/bright chr/matt chr



→ 115.883.KM.1
Product material: plastic
black/bright chrome/black



→ 115.883.SN.1
Product material: stainless steel
stainless steel brushed/pol/br

* vandal-resistant, screwable
** vandal-resistant, with electronic dual flush and manual override

Sigma30

→ Flush technology: stop-and-go flush
→ Outer dimensions: 246 mm x 164 mm



→ 115.893.KJ.1*
Product material: die-cast zinc
white/bright chrome/white



→ 115.893.KK.1*
Product material: die-cast zinc
chrome brushed/bright chr/chr brushed



→ 115.893.KY.1*
Product material: die-cast zinc
bright chrome/chr brushed/bright chr



→ 115.893.KZ.1*
Product material: die-cast zinc
gold-plated

Sigma40

→ Flush technology: dual flush
→ Outer dimensions: 266 mm x 182 mm
→ With integrated odour extraction



→ 115.600.KQ.1
Product material: plastic
white/aluminium brushed



→ 115.600.SI.1
Product material: glass
white glass/aluminium brushed



→ 115.600.SQ.1
Product material: glass
umber glass/aluminium brushed



→ 115.600.KR.1
Product material: plastic
black/aluminium brushed



→ 115.600.SJ.1
Product material: glass
black glass/aluminium brushed

Sigma50

→ Flush technology: dual flush
→ Outer dimensions: 246 mm x 164 mm



→ 115.788.11.5
Product material: die-cast zinc, PMMA
white alpine



→ 115.788.21.5
Product material: die-cast zinc, brass
bright chrome



→ 115.788.SE.5
Product material: die-cast zinc, glass
green glass satinised



→ 115.788.SE.5
Product material: die-cast zinc, glass
green glass satinised



→ 115.788.SQ.5
Product material: die-cast zinc, glass
umber glass/aluminium brushed



→ 115.788.SD.5
Material: die-cast zinc, glass
smoked glass reflective



→ 115.788.DW.5
Product material: die-cast zinc, PMMA
jet black RAL 9005



→ 115.788.00.5
Product material: die-cast zinc
customisable surface

Sigma60


→ Flush technology: dual flush
→ Outer dimensions: 221 mm x 139 mm
→ Even with the surface



→ 115.640.SI.1
Product material: die-cast zinc, glass
white glass



→ 115.640.GH.1
Product material: die-cast zinc
brushed chrome



→ 115.640.SQ.1
Product material: die-cast zinc, glass
umber glass



→ 115.640.SJ.1
Product material: die-cast zinc, glass
black glass



→ 115.640.SK.1
Product material: die-cast zinc, glass
black glass



→ 115.640.SL.1
Product material: die-cast zinc, glass
black glass



→ 115.640.SM.1
Product material: die-cast zinc, glass
black glass



→ 115.640.SN.1
Product material: die-cast zinc, glass
black glass




→ 115.640.SO.1
Product material: die-cast zinc, glass
black glass

Sigma70


→ Flush technology: dual flush, hydrofliter
→ Outer dimensions: 240 mm x 158 mm
→ Soft-touch




For Sigma concealed cistern 12 cm
→ 115.620.SI.1




For Sigma concealed cistern 8 cm
→ 115.625.SI.1



For Sigma concealed cistern 12 cm
→ 115.620.FW.1




For Sigma concealed cistern 8 cm
→ 115.625.FW.1




For Sigma concealed cistern 12 cm
→ 115.620.SQ.1




For Sigma concealed cistern 8 cm
→ 115.625.SQ.1



For Sigma concealed cistern 12 cm
→ 115.620.SJ.1



For Sigma concealed cistern 8 cm
→ 115.625.SJ.1




For Sigma concealed cistern 12 cm
→ 115.620.00.1



For Sigma concealed cistern 8 cm
→ 115.625.00.1

Sigma80


→ Flush technology: dual flush, touchless, electronic
→ Outer dimensions: 247 mm x 164 mm
→ Illuminated




For Sigma concealed cistern 12 cm
→ 116.090.SG.1



For Sigma concealed cistern 8 cm
→ 116.092.SG.1



For Sigma concealed cistern 12 cm
→ 116.090.SM.1



For Sigma concealed cistern 8 cm
→ 116.092.SM.1



For Sigma concealed cistern 12 cm
→ 115.620.SQ.1




For Sigma concealed cistern 8 cm
→ 115.625.SQ.1



For Sigma concealed cistern 12 cm
→ 115.620.SJ.1



For Sigma concealed cistern 8 cm
→ 115.625.SJ.1



For Sigma concealed cistern 12 cm
→ 115.620.00.1



For Sigma concealed cistern 8 cm
→ 115.625.00.1

Omega20

→ Flush technology: dual flush
→ Outer dimensions: 212 mm x 142 mm



→ 115.085.KJ.1
Product material: plastic
white/bright chrome/white



→ 115.085.KK.1
Product material: plastic
white/gold-plated/white



→ 115.085.KL.1
Product material: plastic
white/matt chrome/matt chrome



→ 115.085.KH.1
Product material: plastic
bright chr/matt chr/bright chr




→ 115.085.KN.1
Product material: plastic
matt chr/bright chr/matt chr




→ 115.085.KM.1
Product material: plastic
black/bright chrome/black



→ 115.085.SN.1
Product material: stainless steel
stainless steel brushed/pol/br



→ 115.085.SN.1*
Product material: stainless steel
stainless steel brushed/pol/br



→ 115.085.SN.1**
Product material: stainless steel
stainless steel brushed/pol/br

Omega30


→ Flush technology: dual flush
→ Outer dimensions: 212 mm x 142 mm



→ 115.080.KJ.1
Product material: plastic
white/bright chrome/white



→ 115.080.KK.1
Product material: plastic
white/gold-plated/white



→ 115.080.KL.1
Product material: plastic
white/matt chrome/matt chrome



→ 115.080.KH.1
Product material: plastic
bright chr/matt chr/bright chr



→ 115.080.KN.1
Product material: plastic
matt chrome/bright chr/matt chr



→ 115.080.KM.1
Product material: plastic
black/bright chrome/black

Trigger points. Geberit actuators for every application.

The Geberit actuator plate is the only part you see of the concealed cistern. It is a piece of design, a decoration item for your bathroom. At the same time it is functional and easy to clean. Whatever needs you have – there is the correct actuator plate.

The tradition of hiding cisterns. Geberit concealed solutions.



- More than 50 years experience in the field of concealed cisterns.
- Over 60 million installed cisterns.
- Seamless cisterns, individually inspected and guaranteed to be leakproof.
- Guaranteed spare part security for 25 years.
- High water efficiency thanks to modern flush technology (WELL Class A).
- Wide design range of actuator plates.

In solid and drywall construction, the Geberit concealed cistern is the heart of more than 60 million concealed installations in the bathroom or WC. Every detail of this product is ingenious and has been proven a million times over. Plumbers and endusers have trusted polyethylene cisterns from Geberit for more than 50 years.



↑ Introducing the first concealed cistern in 1964

Eventful history, constant innovation.

Since 1964 Geberit has been working on product improvements and has constantly developed the quality and functionality of the cisterns. Not only has the product itself moved on, but so too have the product benefits.



↑ Current state of modern technology



Beautiful design

The actuator plates are the eye-catchers in your bathroom. A concealed solution with a wall-hung WC offers a lot of design options for your bathroom.




Withstanding heavy load

The Geberit wall-hung solutions are designed and tested to withstand weights of 400kg.



Saving water

The water consumption can be sustainably reduced with a Geberit dual flush actuation for the WC. The smaller button flushes with 3 litres, the bigger one with 6 litres and is easily reduced to 4.5 litres.



Opening space

As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution makes your bathroom look bigger.



Easy to clean

The fewer edges, joints and corners, the simpler to clean and more hygienic. Particularly in the WC area, it is better when ceramic appliances are wall-mounted to keep the floor space open.




Premium quality

All products from Geberit are known for their very high reliability and durability. This not only ensures safe and trouble-free function, but also reduces maintenance costs. Proven Swiss technology for decades.

Touching design.

Geberit Sigma cisterns.




↑ Sigma70

Stylish calling cards

The Geberit Sigma concealed cisterns not only offer numerous installation possibilities, but also the widest range of stylish actuator plates. Be it for single flush, dual flush or stop-and-go flush, mechanical, pneumatic, hydraulic or touchless actuation.



↑ Sigma60



↑ Sigma80



Functional beauty

With Geberit Sigma cisterns not only style moves into your bathroom, but also functionality. With a prewall construction you gain space for cosmetics or other bathroom items. Another possibility to give your bathroom a personal touch.



State-of-the-art design

The Geberit Sigma concealed cisterns offer solutions to almost every building situation and to every design idea. Thus, it is possible to create extraordinary bathroom looks that meet all the requirements and expectations.

Special treat for your toilet.

Geberit Sigma special solutions.

Sometimes the design of your bathroom creates a special request for the installation of the toilet. The Geberit Duofix installation elements offer solutions to almost any unusual construction situation.



↑ 111.350.00.5
Geberit Duofix element for a barrier-free solution. The frame-width is reduced for the placement of support handles next to the element.



↑ 111.790.00.1
Geberit Duofix element with mounting plate for support handles.



↑ 111.390.00.5
Geberit Duofix element for corner installation. Also suitable for a one-sided wall fixation, e.g. next to a bathtub.



↑ Another special feature of the Geberit concealed cisterns is the tool-free maintenance.

Options with Geberit Sigma concealed cisterns:

	for solid wall	for drywall	GIS compatible	corner solution	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenance	odour extraction	AquaClean connection	WELL-Label
Geberit Sigma	X	X	X	X	X	X			X	X	X	X
Geberit Omega	X	X	X			X	X	X	X		X	X
Geberit Alpha	X	X				X						

WELL Home
Water Efficiency Label

Manufacturer: Geberit
Product category: WC flush system
Type: Flushing cistern
Model: Sigma 12 cm (UP320)
Registration number: WS10009-20110209

A **A****

Water Efficiency Criteria

Flush volume 6,0 l *
Flush volume 5,0 / 4,0 l **

With flush stop function *
Dual flushing **

Information about use and installation: www.well-online.eu
A Label of EUited Valves
European Valve Manufacturers Association

↑ The WELL-Label (Water Efficiency Label) helps consumers to select water-saving products in the sanitary sector. The Geberit Sigma concealed cistern 12 cm has been awarded the highest level of energy efficiency.



→ 111.370.00.5
Geberit DuoFresh with an effective odour extraction device. A switch in the actuator plate activates the odour extraction unit. The air is purified by means of an active carbon filter and is subsequently released back into the room.



The Geberit Omega concealed cisterns are designed for low-height situations. Bottle-necks such as windows and roof-pitches are elegantly mastered.


Small and powerful. Geberit Omega cisterns.



Freedom of place

If you want to have a clean front view, Geberit Omega is offering the solution. Geberit Omega cisterns can be activated from the top. This adds to the various design options with Geberit concealed cisterns.

→ Omega30



↑ Omega20

Small actuators

The service opening of the Geberit Omega cistern has a size of 180 mm x 110 mm which allows the installation of small, elegant actuator plates: Omega20, Omega30 and the surface-even Omega60.

Solution provider in narrow spots.

Geberit Omega cisterns for low heights.

Geberit Omega opens up unexpected opportunities when it comes to the design of your bathroom. Having the freedom of choice to install a top or a front actuation, there are no borders anymore to your creativity in bathroom design and the implementation of your ideas.



Three cistern heights

The Geberit Omega concealed cistern can be installed at a height of 82 cm, 98 cm and 112 cm. No matter what installation height: the flush performance is outstanding. All the Omega cisterns come with a water-saving dual flush system.

Fit for almost every prewall

With a minimum depth of 12 cm for the front actuation and a minimum depth of 17 cm for the top actuation, the Geberit Omega concealed cistern fits into nearly any prewall. It can be connected to the water supply from the rear as well as from the side. Installing the cistern and mounting the actuator plate can both be completed without special tools.



Top or front – that is the question

Depending on the construction situation, the actuator plate can be installed on the top or front of the cistern. Whatever your bathroom looks like, you have the choice. The Omega cisterns are designed in such a way that both options can be chosen freely.



Tool-free maintenance

The Geberit Omega cisterns can be serviced without tools. This makes maintenance as easy as pie.

Options with Geberit Omega concealed cisterns:

	for solid wall	for drywall	GIS compatible	corner solution	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenance	odour extraction	AquaClean connection	WELL-Label
Geberit Sigma	X	X	X	X	X	X			X	X	X	X
Geberit Omega	X	X	X			X	X	X	X		X	X
Geberit Alpha	X	X				X						


Striking simplicity.

Geberit Alpha cisterns.

Geberit Alpha concealed cisterns are offering a slightly reduced scope of options but are nonetheless standing for high quality and reliability. The cisterns can be installed in either brick walls or drywalls. For standard bathroom requirements the perfect match.



↑ Alpha01



↑ Alpha30



↑ Alpha15

Geberit Alpha actuator plates come in five designs in four different finishes. They are all made of high quality plastic.

Options with Geberit Alpha concealed cisterns:

	for solid wall	for drywall	GIS compatible	corner solution	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenance	odour extraction	AquaClean connection	WELL-Label
Geberit Sigma	X	X	X	X	X	X			X	X	X	X
Geberit Omega	X	X	X			X	X	X	X		X	X
Geberit Alpha	X	X				X						



The Geberit Alpha cisterns are the perfect choice for a small bathroom. The small Alpha actuator plates give a discreet and elegant finishing touch to a modern bathroom.

Technical information

Concealed cisterns overview.

At one glance.









































Geberit concealed cisterns

- Available in various dimensions and suitable for any construction situation.
- All models are equipped with a high-end flush valve and a top silent fill valve, exceeding Sound Class 1 requirements.
- Easy maintenance at any time through a service opening.
- Exceptional spare part security for all function-maintaining components for 25 years.




Concealed cisterns overview.

At one glance.

	Geberit Sigma									Geberit Omega									Geberit Alpha				
																							
Article number	109.300.00.5	109.791.00.1	110.350.00.5 110.340.00.5*	110.792.00.1	111.300.00.5	111.796.00.1	111.350.00.5	111.370.00.5	111.390.00.5		109.043.00.1	109.050.00.1	109.060.00.1	110.001.00.1	110.011.00.1	110.020.00.1	111.003.00.1	111.030.00.1	111.060.00.1	110.175.00.1 110.174.00.1*	458.175.00.1		Article number
Cistern thickness	12 cm	8 cm	12 cm	8 cm	12 cm	8 cm	17 cm	12 cm	12 cm		12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	8 cm	8 cm		Cistern thickness
Cistern height	108 cm	112 cm	108 cm	109 cm	112 cm	114 cm	112 cm	112 cm	112 cm		82 cm	98 cm	106 cm	82 cm	98 cm	106 cm	82 cm	98 cm	112 cm	109 cm	114 cm		Cistern height
For solid construction	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x		For solid construction
For drywall construction					x	x	x	x	x								x	x	x		x		For drywall construction
Wall-hung-ready (fixation for wall-hung ceramic included)			x	x	x	x	x	x	x					x	x	x	x	x	x	x	x		Wall-hung-ready (fixation for wall-hung ceramic included)
For top actuation											x	x		x		x	x						For top actuation
With conduit pipe for Geberit AquaClean			x	x	x	x	x	x	x					x	x	x	x	x	x	x	x		With conduit pipe for Geberit AquaClean
Tool-free maintenance	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x		Tool-free maintenance
Barrier-free solution							x																Barrier-free solution
Corner solution									x														Corner solution
Odour extraction unit included								x															Odour extraction unit included
Dimensions																							Dimensions


* With leg supports

Solid wall installation



Geberit Kombifix installation elements are exclusively suitable for solid construction. They must be fastened in front of or inside a solid wall and then subsequently brick lined.

Drywall installation




Geberit Duofix installation elements are suitable for all drywall construction situations with a drywall system. It is possible to create complete room-height prewalls or partition walls.

Whether it be under windows or sloping roofs, in a corner or on a free-standing wall, systems and products from Geberit give you practically unlimited possibilities. Installations behind the wall lend elegance and increased space; part-height prewall installations offer additional storage possibilities.


12 cm wall-thickness

In the wall or in front of the wall. Flushing actuation from the front. Choose either a Sigma 12 cm cistern, an Omega cistern or an Alpha cistern with the included brackets.




8 cm wall-thickness

Solution for thin wall constructions or for space-saving installation in front of the wall, flush actuation from the front. Choose either a Sigma or an Alpha cistern.



Low-height situations

Solution for low-height installation with element heights 82 / 98 cm. Choose an Omega cistern.



Geberit International Sales AG
CH-8640 Rapperswil
Switzerland

sales@geberit.com

→ www.international.geberit.com