GEBERIT

Product Range and MRP brochure Valid from April 2016

Know-how from Switzerland

Since the day it all began in 1847 in Switzerland, we have been defined by our experiences. Geberit has been among the pioneers of the industry and is still setting trends with comprehensive system solutions.

With more than 6,000 employees around the world and offices in more than 42 countries, Geberit stands for innovation, durability and ecological efficiency.

1874 Caspar Melchior Albert Geberit (1850-1909) opens a plumber's shop in the Old Town of Rapperswil (CH). At the turn of the century, his two sons Albert Emil and Leo join the company and start the production of wooden flushing cisterns.

1905 Albert Emil Geberit succeeds in producing the first wooden flushing cistern that is lined with lead and equipped with leaden fittings, under the brand name "Phoenix".

1952 The first PVC flushing cistern is produced.

1964 introduction of the first concealed cistern.

1999 in the year of the 125th anniversary of the company's founding, Geberit succeeds in being listed on the stock market.

2004 Geberit takes over the German Mapress Group. the largest acquisition in company history. 2005 Formation of Geberit

2010 The newly established Asia/Pacific headquarters in Shanghai as well as the Centre in Pfullendorf (DE) are inaugurated and put into operation.

Geberit India starts operation in India.

2013 Geberit starts first plant in Pune, India.

2015 Acquisition of Sanitec, Finland

Geberit Installation Systems.

Table of Contents				
1	Geberit Sigma - Concealed Cisterns	4		
2	Geberit Sigma - Actuator Plates	5		
3	Geberit Omega - Concealed Cisterns	8		
4	Geberit Omega - Actuator Plates	10		
5	Geberit DuoFresh	12		
6	Geberit remote flush actuations: pneumatic solutions	14		
7	Geberit Monolith	20		
8	Geberit Monolith Plus	21		
9	Geberit Monolith sanitary modules for washbasins	22		
10	Geberit shower drains	26		


Geberit Sigma


Concealed cistern

109.791.00.1 - Geberit Sigma concealed cistern 8 cm, 6/3 litres

MRP: ₹13,900







Scope of Delivery

- Water supply connection R 1/2, compatible with MeplaFix, with integrated angle stop valve and
- Protection box for service opening
- · Flush bend with recess shells
- · Flush bend extension, ø 45 mm
- Protection plug
- · 2 slotted flat irons
- · Fastening material

Concealed cistern, dual flush front operated for actuator plates "Sigma80, Sigma70, Sigma60, Sigma50, Sigma30, Sigma20, Sigma01".


109.300.00.5 - Also available Geberit Sigma concealed cistern 12 cm, front actuation (UP320)


MRP: ₹13,235

110.792.00.1 - Geberit Kombifix element for wall-hung WC, H109, with Sigma cistern 8 cm

MRP: ₹15,840







Scope of Delivery

- Water supply connection R 1/2, compatible with MeplaFix, with integrated angle stop valve and hand wheel
- · Protection box for service opening
- · 4 fixing brackets
- Connection set for WC, ø 90 mm
- Connection bend 90° made of PE-HD, ø 90 mm
- Adapter socket made of PE-HD, ø 90 / 110 mm
- · 2 protection plugs
- 2 threaded rods M12
- · Fastening material

Kombifix mounting element for wall hung WC front operated for actuator plates "Sigma80, Sigma70, Sigma60, Sigma50, Sigma30, Sigma20, Sigma01".


110.350.00.5 - Also available Geberit Kombifix element for wall-hung WC, H108, with Sigma cistern 12 cm (UP320)


MRP: ₹14,575

MRP: ₹24,830

111.796.00.1 - Geberit Duofix element for wall-hung WC, H114, with Sigma cistern 8 cm







- Water supply connection R 1/2, compatible with MeplaFix, with integrated angle stop valve and hand wheel
- · Protection box for service opening
- · 2 wall anchorings

Scope of Delivery

- · Connection set for WC, ø 90 mm
- Connection bend 90° made of PE-HD, ø 90 mm
- Adapter socket made of PE-HD, ø 90 / 110 mm
- · 2 protection plugs
- 2 threaded rods M12
- · Fastening material

Duofix mounting element for wall hung WC front operated for actuator plates "Sigma80, Sigma70, Sigma60, Sigma50, Sigma30, Sigma20, Sigma01".

111.300.00.5 - Also available Geberit Duofix element for wall-hung WC, H112, with Sigma cistern 12 cm

111.815.00.1 - Wall anchoring set to be ordered separately with Geberit Duofix Sigma (13.5 - 20 cm)

111.013.00.1 - Wall anchoring set to be ordered separately with Geberit Duofix Sigma (9 - 11 cm)

MRP: ₹29,700

MRP: ₹2,035 **MRP:** ₹1,500

Geberit Sigma

Actuator Plates

Sigma80



Article No.: 116.092.SG.1 Colour: black glass MRP: ₹82,000





Article No.: 116.092.SM.1 Colour: glass reflective MRP: ₹82,000



Article No.: 115.861.00.1 Installation set for Geberit WC flush control, electronic to be ordered with Sigma80 MRP: ₹6,500

Characteristics

- · Actuator plate made of glass, interlockable
- · Manual, touchless actuation
- Actuator buttons identifiable by light bars
- · Button illumination can be set in five colours
- Electrical power supply via power supply unit
- · Button illumination activated when approached

Scope of Delivery

- Actuator plate Sigma80
- Mounting frame
- Support block with servomotor and lifting device, pre-mounted
- Actuator rod
- · Fastening material

Product Details

Operating voltage 4.1 V DC Nominal voltage 85 - 240 V AC Mains frequency 50 - 60 Hz Protection degree

Also available for Sigma 12 cm cisterns

Sigma70

Characteristics

Front actuation



Article No.: 115.625.SI.1 Colour: white glass MRP: ₹29,500

Article No.: 115.625.FW.1 Colour: stainless steel brushed

MRP. ₹34.000

Article No.: 115.625.00.1 Colour: customer specific MRP: ₹26,500

Article No.: 115.625.SQ.1 Colour: umber glass MRP. ₹29,500

Article No.: 115.625.SJ.1 Colour: black glass MRP: ₹29,500

Scope of Delivery

- · Hydraulic servo lifter
- Water supply connection set
- Protection plate
- Mounting frame
- · 2 distance bolts
- Assembly parts

Also available for Sigma 12 cm cisterns

Hydraulic servo lifter for minimum actuation forces

• Lifting mechanism, low-noise


· Can be installed without tools

Flush actuation pneumatic

Geberit Sigma

Actuator Plates

Sigma60



Article No.: 115.640.GH.1 Colour: brushed chrome MRP: ₹38,045



Article No.: 115.640.SI.1 Colour: white glass MRP: ₹38,045

Sigma 60 cover plate



Article No.: 115.640.SJ.1 Colour: black glass MRP: ₹38,045




Article No.: 115.640.SQ.1 Colour: umber glass MRP: ₹38,045

Characteristics

· Surface even actuation

Product Details


Actuation force <20N Product material Die-cast zinc



Article No.: 115.641.GH.1 MRP: ₹10.500

Article No.: 115.641.21.1 MRP: ₹10,500

Sigma50



Colour: white alpine



MRP: ₹16,105



Article No.: 115.788.SQ.5 Colour: umber glass / aluminium brushed

MRP: ₹19,910



Article No.: 115.788.DW.5 Colour: jet black RAL 9005 MRP: ₹16,105



Article No.: 115.788.GH.5 Colour: brushed Chrome MRP: ₹26,270



Article No.: 115.788.SD.5 Colour: smoked glass reflective MRP: ₹19,910




Article No.: 115.788.00.5 Colour: without inlay MRP: ₹16,105

Sigma30

MRP: ₹19,910

Article No.: 115.788.SE.5

Colour: green glass satinised



Article No.: 115.883.KH.1 Colour (frame/ring/button): bright chrome/matt chrome/ bright chrome MRP: ₹7,550



Article No.: 115.883.KJ.1 Colour (frame/ring/button): white/bright chrome/white MRP: ₹5,500




Article No.: 115.883.KK.1 Colour (frame/ring/button): white/gold-plated/white MRP: ₹7,000

Geberit Sigma

Actuator Plates

Sigma30





Article No.: 115.883.KL.1 Colour (frame/ring/button): white/matt chrome/matt chr MRP: ₹7,000




Article No.: 115.883.KM.1 Colour (frame/ring/button): black/bright chrome/black MRP: ₹7,000



Article No.: 115.883.KN.1 Colour (frame/ring/button): matt chrome/bright chr/ matt chr MRP: ₹7,550

Sigma20





Article No.: 115.882.KH.1 Colour (frame/ring/button): bright chrome/matt chrome/ bright chrome MRP: ₹10,615



MRP: ₹9,150



Article No.: 115.882.KK.1 Colour (frame/ring/button): white/gold-plated/white



Article No.: 115.882.KL.1 Colour (frame/ring/button): white/matt chrome/matt chr MRP: ₹9,150



Article No.: 115.882.KM.1 Colour (frame/ring/button): black/bright chrome/black MRP: ₹9,150



Article No.: 115.882.KN.1 Colour (frame/ring/button): matt chrome/bright chr/ matt chr MRP: ₹10,615



Article No.: 115.882.SN.1 Colour (frame/ring/button): stainless steel brushed polished brushed MRP: ₹14,000




Article No.: 115.889.SN.1 Colour (frame/ring/button): for dual flush, screwable: stainless steel brushed/polished/brushed, vandal proof MRP: ₹16,000

Also available Article No.: 115.882.KJ.1, Colour: (frame/ring/button) white/bright chrome/white

MRP: ₹9,150

Sigma01





Article No.: 115.770.11.5 Colour: white alpine MRP: ₹4,400



Article No.: 115.770.21.5 Colour: bright chrome plated **MRP:** ₹6,610



Article No.: 115.770.46.5 Colour: matt chrome plated MRP: ₹6,610

Scope of Delivery for Sigma actuator plate range

- Mounting frame
- 2 distance bolts
- · 2 actuator rods

Application Purpose for Sigma actuator plate range


- For dual flush
- For front actuation
- For use with Sigma concealed cistern 12 cm (UP320)
- For use with Sigma concealed cistern 8 cm (UP720, UP700)

Geberit Omega

Concealed cisterns front or top actuation

109.043.00.1 - Geberit Omega concealed cistern 12 cm, H82

MRP: ₹15,400



Scope of Delivery


- Water supply connection, R 1/2, with integrated angle stop valve and hand wheel
- Protection cover for service opening, can be cut to length
- Flush bend extension dia. 45 mm
- 1 protection plug
- · 2 fastening brackets
- · Fastening material
- Excluded: Actuator plate

109.050.00.1 - Also available Geberit Omega concealed cistern 12 cm, H98

110.001.00.1 - Geberit Kombifix element for wall-hung WC, H82, with Omega cistern 12 cm

MRP: ₹18,150





Scope of Delivery


- Water supply connection R 1/2" with integrated angle stop valve and hand wheel
- Protection cover for service opening, can be cut to length
- WC connection set, dia. 90 mm
- WC outlet bend, HDPE, dia. 90 mm
- Adapter sleeve, dia. 90/110 mm
- Two protection plugs
- 2 threaded rods M12
- Fastening material
- Excluded: Actuator plate

110.011.00.1 - Also available Geberit Kombifix element for wall-hung WC, H98, with Omega cistern 12 cm

111.003.00.1 - Geberit Duofix element for wall-hung WC, H82, with Omega cistern 12 cm

MRP: ₹22,550





Scope of Delivery

- Water supply connection, R 1/2, with integrated angle stop valve and hand wheel
- Protection cover for service opening, can be cut to length
- Two protection plugs
- WC connection set, dia. 90 mm
- WC outlet bend, HDPE, dia. 90 mm
- Adapter sleeve, dia. 90/110 mm
- 2 threaded rods M12
- · Fastening material
- Excluded: Actuator plate

111.030.00.1 - Also available Geberit Duofix element for wall-hung WC, H98, with Omega cistern 12 cm

111.815.00.1 - Wall anchoring set to be ordered separately with Geberit Duofix Omega


MRP: ₹2,035

Geberit Omega

Concealed cisterns front actuation

109.060.00.1 - Geberit Omega concealed cistern 12 cm, H106 cm

MRP: ₹17,000





- Scope of Delivery
 Water supply connection, R 1/2, compatible with MeplaFix, with integrated angle stop valve and
- Connection set for WC, ø 90 mm
- WC outlet bend, HDPE, ø 90 mm / 110 mm
- Protection box for service opening
- Two protection plugs
- 2 fastening brackets
- Fastening material

110.020.00.1 - Geberit Kombifix element for wall hung WC , H106 cm with Omega cistern 12 cm

MRP: ₹21,000








Scope of Delivery


- Water supply connection, R 1/2, compatible with MeplaFix, with integrated angle stop valve and hand wheel
- Protection box for service opening
- Connection set for WC, ø 90 mm
- WC outlet bend, PE-HD, ø 90 mm
- Adapter sleeve, PE-HD, ø 90 / 110 mm
- Filling segment
- Two protection plugs
- · Acoustic insulation set
- 2 threaded rods M12
- · Fastening material

111.060.00.1 - Geberit Duofix element for wall-hung WC, H112 cm with Omega cistern 12 cm

MRP: ₹25,000







Scope of Delivery

- Water supply connection, R 1/2, compatible with MeplaFix, with integrated angle stop valve and hand wheel
- Protection box for service opening
- Two protection plugs
- · Connection set for WC, ø 90 mm
- WC outlet bend, PE-HD, ø 90 mm
- Adapter sleeve, PE-HD, ø 90 / 110 mm
- 2 threaded rods M12
- Fastening material

111.815.00.1 - Wall anchoring set to be ordered separately with Geberit Duofix Omega

MRP: ₹2,035

Geberit Omega

Actuator Plates



When space is short, an innovative flush actuation from Geberit Omega can provide the necessary flexibility. It can be optionally mounted above or in front of the prewall.



Omega60



Can be mounted surface-even

Omega30



Omega20




Omega60

Characteristics

Surface even actuation

Actuation from front or top





Article No.: 115.081.Sl.1 Colour: glass white MRP: ₹29,150



Article No.: 115.081.SJ.1 Colour: glass black MRP: ₹29,150



Article No.: 115.081.GH.1 Colour: brushed chrome MRP: ₹37,400



Article No.: 115.081.SQ.1 Colour: glass umber MRP: ₹29,150

Scope of Delivery

- 2 actuator rods
- · Fastening material
- 2 spacers
- · 2 distance bolts
- · Compensation frame


Application Purpose

- · For dual flush
- For covering thickness of 24 90 mm
- · For Geberit Omega concealed cisterns 12 cm

Geberit Omega

Actuator Plates

Omega30





Article No.: 115.080.KH.1 Colour (frame/ring/button): bright chrome/matt chrome/ bright chrome MRP: ₹9,900



Article No.: 115.080.KL.1 Colour (frame/ring/button): white/matt chrome/matt chrome

MRP: ₹8,140

MRP: ₹8,140



Article No.: 115.080.KJ.1 Colour (frame/ring/button): white/bright chrome/white

MRP: ₹7,260



Article No.: 115.080.KK.1 Colour (frame/ring/button): white/gold-plated/white **MRP:** ₹8,140




Article No.: 115.080.KM.1 Colour (frame/ring/button): black/bright chrome/black **MRP:** ₹8,140



Article No.: 115.080.KN.1 Colour (frame/ring/button): matt chrome/bright chrome/ matt chrome MRP: ₹9,900

Omega20





Article No.: 115.085.KH.1 Colour (frame/ring/button): bright chrome/matt chrome/ bright chrome MRP: ₹9.900



Article No.: 115.085.KJ.1 Colour (frame/ring/button): white/bright chrome/white **MRP:** ₹7,260



Article No.: 115.085.KK.1 Colour (frame/ring/button): white/gold-plated/white MRP: ₹8,140

Article No.: 115.085.KL.1 Colour (frame/ring/button): white/matt chrome/matt chrome



Article No.: 115.085.KM.1 Colour (frame/ring/button): black/bright chrome/black **MRP:** ₹8,140



Article No.: 115.085.KN.1 Colour (frame/ring/button): matt chrome/bright chrome/ MRP: ₹9.900

Scope of Delivery for Omega20/ Omega30

- · Mounting frame
- 2 actuator rods
- 2 distance bolts
- · Fastening material

Application Purpose for Omega20/ Omega30

- For dual flush
- For Geberit Omega concealed cisterns 12 cm
- · Actuation from front or top


Geberit DuoFresh


Geberit DuoFresh - Mounting elements for corner installation Duofix element with UP320, with connection for odour extraction with filtration.

111.370.00.5 - Geberit Duofix element for wall-hung WC, H112, with Sigma cistern 12 cm (UP320), connection for odour extraction with filtration

MRP: ₹33,390









Article No.: *111.815.00.1 **Description:** wall fastening set MRP: ₹2.035

*To be ordered with Geberit DuoFresh

Characteristics


- Dual flush with actuator plate Sigma40
- Concealed cistern for tool-free mounting and repair work
- Tool-free fastening for outlet bend, sound-absorbing, adjustable in depth with 8 positions, adjustable range 45 mm
- Self-locking feet for tool-free alignment of the element
- Feet galvanized, infinitely adjustable 0 20 cm
- Self-supporting
- Powder-coated frame, ultramarine blue
- Rotating foot plate, for installation in UW 50 and UW 75 U wall
- · Water supply connection at the top, offset to the left

Scope of Delivery

- Water supply connection R 1/2" with integrated angle stop valve and hand wheel
- Geberit AquaClean conduit pipe
- Protection plug
- can be cut to length
- 2 threaded rods M12 for ceramics fastening
- WC connection set, dia. 90 mm
- WC outlet bend, HDPE, dia, 90 mm
- Adapter sleeve, dia, 90/110 mm
- Fastening material
- Flush pipe with odour extraction adapter
- · Outlet mounting box
- Excluded: Actuator plate

- · Protection cover for service opening,

Actuator plate Sigma40 for Geberit DuoFresh







Article No.: 115.600.KQ.1 Colour: white / aluminium brushed MRP: ₹34,410



Article No.: 115.600.SQ.1 Colour: umber glass / aluminium MRP: ₹58,130



Article No.: 115.600.SJ.1 Colour: black glass / aluminium brushed MRP: ₹58,130

115.600.KR.1 black / aluminium brushed


115.600.SI.1 white glass / aluminium brushed - Also available Geberit actuator plate Sigma 40 for dual flush

Characteristics

- · Odour extraction unit with filtration integrated in the concealed cistern
- · Ventilation and control unit with radial fan, can be installed without tools
- · LED display for filter replacement
- · Odour neutralisation with active carbon filter
- Push-button for switching the odour extraction unit on and off
- Automatic switching off of the odour extraction unit after a predefined running time
- · Tool-free replacement of the active carbon filter
- · Tool-free insertion of in-cistern blocks

Scope of Delivery

- · Mounting frame with swivelling mechanism
- · 2 distance bolts
- 2 actuator rods
- · Ventilation and control unit
- Power supply unit with LED display
- Cable connection with plug
- Active carbon filter type 1
- · Protection cover
- · Receptacle for in-cistern blocks
- Moisture protection on conduit pipe



Geberit remote flush actuations

Pneumatic solutions



Free placement of pneumatic actuators upto 2m away from the cistern offers new planning possibilities




Touched a thousand times.

The pneumatics of the Geberit remote flush actuations type 01 and 10 have been tested for years of stress. The technology is based on air pressure (not on electrical current).

Not only with respect to placement in the room, but also in terms of product material, structure, form and colour, the Geberit remote flush actuations are very versatile. And furthermore, they can be combined with concealed cisterns of the Sigma, Omega and Alpha series.

Geberit pneumatic actuator plate





Article No.: 115.932.KA.1 Colour (frame/ring/button): bright chrome/matt chrome MRP: ₹5,990



Article No.: 115.932.GH.1 Colour (frame/ring/button): bright chrome/vandal-proof MRP: ₹14,130



Article No.: 115.932.KT.1 Colour (frame/ring/button): glossy white/brushed metal MRP: ₹5,990



Article No.: 115.932.KV.1 Colour (frame/ring/button): glossy black/brushed metal MRP: ₹5,990



Article No.: 115.932.KS.1 Colour (frame/ring/button): polished metal/brushed metal vandal-proof




MRP: ₹14,130

Application

- For Pneumatic remote flush actuation of Geberit UP200, UP320 and UP720* Concealed Cisterns
- For dual flush
- For solid construction
- For drywall construction
- · For concealed installation

242.845.00.1 - PN flushing device f/WC-ctrl dual includes 2 holdingdown clamps.

MRP: ₹5.445



Scope of Delivery

· Conduit pipe, 1.5 m

· Pneumatic hose, 2 m

Concealed housing


Pneumatic lifter

Protection cover

· Fastening material

123.136.11.1 - Geberit exposed cistern type 123, for pneumatic actuation

MRP: ₹8,360



Scope of Delivery

- Flush bend 38 x 5.2 cm, dia. 50/44 mm
- Fastening material
- Excluded: Angle stop valve R 1/2"

Application Purpose

- For installation behind the wall or in furniture
- For pneumatic remote flush actuation
- For thin walls with max. 70 mm thickness in combination with floor mounted WC

Type 01, Type 10 and pneumatic actuator plates are compatible with Geberit exposed cistern type 123

^{*}To be ordered for UP720 concealed cistern 109.791.00.1 & 110.792.00.1 in 8 cm thickness,

Geberit remote flush actuations

Pneumatic solutions: Type01/Type10

Type01





Also available for single flush,

Colour: white alpine MRP: ₹5,850



Colour: bright chrome plated MRP: ₹6,800



Colour: matt chrome plated MRP: ₹6,800

Furniture

Compatible with all Cisterns

Type10



Article No.: 116.056.KN.1 Colour: matt chrome/bright chrome

MRP: ₹8,800



Article No.: 116.056.KH.1 Colour: bright chrome/matt chrome MRP: ₹8,800



Article No.: 116.056.KJ.1 Colour: white/bright chrome MRP: ₹7,900







Article No.: 116.056.KM.1 Colour: black/bright chrome MRP: ₹8,800



Article No.: 116.056.KK.1 Colour: white/gold plated MRP: ₹12,500

Compatible with all Cisterns

Characteristics

Round design

- Actuator made of plastic
- Can be combined with Geberit actuator plates for single flush and stop-and-go flush or Geberit cover plate

Scope of Delivery

- Actuator
- · Pneumatic flushing device
- · Pneumatic hose, length 2 m Conduit pipe, length 1.7 m
- · Fastening material
- **Application Purposes**
- For pneumatic remote flush actuation of Geberit exposed and concealed cisterns
- For solid and drywall construction
- · For concealed installation
- · For Geberit Sigma concealed cisterns 12 cm
- · For Geberit Omega concealed cisterns 12 cm
- · For Geberit exposed cisterns AP123
- · For Geberit exposed cisterns AP140

Geberit remote flush actuations

Pneumatic solutions: Type70 (hydro servo technology)



Free placement of pneumatic actuators upto 2m away from the cistern offers new planning possibilities






A touch more refined.

Thanks to the hydraulic servo lifter, just a gentle touch is sufficient for flush actuation with the Geberit remote flush actuation type 70. And no electrical current is required for this.

Geberit remote flush actuations

Pneumatic solutions: Type70 (hydro servo technology)

Type70





Article No.: 115.635.SI.1 Colour: white glass MRP: ₹33,000



Article No.: 115.635.SJ.1 Colour: black glass



Article No.: 115.635.SQ.1 Colour: umber glass MRP: ₹33,000



Article No.: 115.635.FW.1 Colour: stainless steel brushed MRP: ₹39.000

Characteristics

- · Lifting mechanism, low-noise · Hydraulic servo lifter for
- minimum actuation forces
- · Flush actuation pneumatic
- · Can be combined with Geberit cover plates Sigma

Scope of Delivery

- · Hydraulic servo lifter
- · Water supply connection set · Pneumatic hose, length 2 m
- · Concealed housing

- Assembly parts

• Conduit pipe, length 1.7 m

· Fastening material

Application Purposes


 For solid and drywall construction

MRP: ₹33,000

- For covering thicknesses of 5-50 mm in drywall construction
- For wall thicknesses of > 75 mm in solid construction
- · For tiled floor constructions of 5-40 mm
- · For pneumatic remote flush actuation of Geberit concealed
- For Geberit Sigma concealed cisterns 8 cm
- · For flush actuation with high actuating convenience

Also available for Sigma concealed cistern 12 cm, Omega concealed cistern 12 cm, Sigma and Omega for furniture version

Geberit Cover plate (access plate) for Type01, Type10 & Type70, Sigma Range





Article No.: 115.768.46.1 Colour: matt chrome plated MRP: ₹5,000

Article No.: 115.766.00.1 Colour: customised MRP: ₹9,300

Quite discreet in fact.

Available as they are in a variety of colours and product materials, the Geberit cover plates open up new design

A tile bearing version is available for a particularly discreet appearance.

Article No.: 115.768.21.1 Colour: bright chrome plated **MRP:** ₹5,000

Article No.: 115.766.SI.1 Colour: white glass MRP: ₹12,750

Article No.: 115.768.11.1 Colour: white alpine MRP: ₹3,600

Article No.: 115.764.FW.1 Colour: stainless steel brushed MRP: ₹10.100

Also available for Omega Cisterns

Scope of Delivery

- Mounting frame
- · 2 distance bolts



Geberit Monolith



Article No.: 131.021.SJ.5 Colour: monolith sanitary module for wall-hung WC black glass / aluminium

Article No.: 131.021.SQ.5

Colour: monolith sanitary module

for wall-hung WC umber glass / aluminium

MRP: ₹89.000



Article No.: 131.021.SI.5 Colour: monolith sanitary module for wall-hung WC white glass / aluminium

MRP: ₹89.000



Article No.: 131.021.SL.5 Colour: monolith sanitary module for wall-hung WC mint glass / aluminium MRP: ₹62.000



Article No.: 131.021.TG.5 Colour: monolith sanitary module for wall-hung WC sand glass / aluminium MRP: ₹89.000










Geberit Monolith sanitary module for wall-hung WC, H101









Characteristics

- Dual flush
- Compensation of dimensional tolerances possible
- Front cladding made of glass (ESG)
- Fastening height WC ceramic appliance 35 ± 1 cm
- Cistern fully insulated against condensation
- · Side cladding made of aluminium brushed
- Self-supporting
- Adjustable flush volume
- Water supply connection, bottom
- Water supply connection on the left/right possible

Scope of Delivery

- Water supply connection set with 2 angle stop valves, 1/2"
- Flush bend extension 160 mm
- Sleeve made of EPDM, ø 44 / 55 mm
- Straight connector made of PE-HD, ø 90 mm
- Adapter socket made of PE-HD, ø 90 / 110 mm
- 2 threaded rods M12
- · Sound insulation set
- · Fastening material

Also available Geberit Monolith sanitary module for wall-hung WC, H114

Article No.: 131.031.SI.5 Colour: Geberit Monolith sanitary module for wall-hung WC, 114 cm, white glass

Article No.: 131.031.SJ.5 Colour: Geberit Monolith sanitary module for wall-hung WC, 114 cm, black glass

Article No.: 131.031.SQ.5 Colour: Geberit Monolith sanitary module for wall-hung WC, 114 cm, umber glass

Article No.: 131.031.TG.5 Colour: Geberit Monolith sanitary module for wall-hung WC, 114 cm, sand glass

MRP: ₹96.000

Also available Geberit Monolith sanitary module for floor standing WC, H114

Geberit Monolith Plus



Comfort Light is the most striking feature of Geberit Monolith Plus Option to chose any one of seven colours below







Ensure the installation is connected to power backup circuit










Geberit Monolith Plus sanitary module for wall-hung WC, 101

Article No.: 131.221.SI.5 Colour: wall-hung WC, white glass / aluminium MRP: ₹158,500

Article No.: 131.221.SQ.5 Colour: wall-hung WC, umber glass / aluminium MRP: ₹158,500





Characteristics Dual flush

MRP: ₹158,500

black glass

· Front cladding made of glass (ESG)

Article No.: 131.221.SJ.5

Colour: wall-hung WC,

- Self-supporting
- Soft-touch buttons for flush actuation and odour extraction
- · Orientation light and odour extraction activated when a user approaches
- · Orientation light can be set in seven colours
- Day/night detection can be set for orientation light
- Operation with extra-low voltage, no mains voltage in cistern

Article No.: 131.231.SQ.5

WC, 114 cm, umber glass

Colour: Geberit Monolith Plus

sanitary module for wall-hung

Article No.: 131.221.TG.5 Colour: wall-hung WC, sand glass MRP: ₹158,500

Scope of Delivery

- Water supply connection set with 2 angle stop valves, 1/2"
- Flush bend extension 160 mm
- · Sleeve made of EPDM, ø 44 / 55 mm · Straight connector made
- of PE-HD, ø 90 mm · Adapter socket made of
- PE-HD, ø 90 / 110 mm
- 2 threaded rods M12
- · Sound insulation set
- Female socket for mains connection
- Power supply unit
- · Fastening material

MRP: ₹168,000

MRP: ₹9,245

Article No.: 131.231.TG.5 Colour: Geberit Monolith Plus sanitary module for wall-hung WC, 114 cm, sand glass

Also available Geberit Monolith plus sanitary module for floor standing 101 and 114 cm

Article No.: 131.231.SJ.5

WC, 114 cm, black glass

Colour: Geberit Monolith Plus

sanitary module for wall-hung

Also available Geberit Monolith Plus sanitary module for wall-hung WC, H114

Accessories

module for wall-hung

Article No.: 131.231.SI.5

WC, 114 cm, white glass

Colour: Geberit Monolith sanitary

Retrofit-Geberit Monolith Plus/Monolith connection set for floor standing WC

131.082.16.1 MRP: ₹3,125

Scope of Delivery

- WC outlet pipe, PE-HD, ø 90 mm
- WC outlet bend, PE-HD, ø 90 mm
- · Adapter sleeve, PE-HD, ø 90 / 110 mm
- Sealing collar EPDM · Fastening material

Application Purpose

For connecting floor-standing WC to floor outlet

Retrofit-Geberit Monolith Plus/Monolith S-bend 90/110 131.088.29.1

Scope of Delivery S-bend, PVC • WC outlet bend, PE-HD, ø 90 mm

Application Purpose

· For connecting wall-hung WC to floor outlet

Geberit Monolith sanitary modules for washbasins












Wall mounted tap





Wall-mounted tap with

lever on right, for taps

with 10 cm gauge for

bore holes
















Colour	No drawers	Left-side drawer	Right-side drawer	Drawers on left and right sides
white	131.043.SI.1	131.040.SI.1	131.041.SI.1	131.042.SI.1
black	131.043.SJ.1	131.040.SJ.1	131.041.SJ.1	131.042.SJ.1
umber	131.043.SQ.1	131.040.SQ.1	131.041.SQ.1	131.042.SQ.1
sand	131.043.TG.1	131.040.TG.1	131.041.TG.1	131.042.TG.1
	MRP: ₹157.500	MRP: ₹186.500	MRP: ₹186.500	MRP:₹215.000

Characteristics

- Sanitary module with front cladding made of toughened safety glass (ESG) and lateral cladding made of brushed aluminium
- Connection to drinking water supply integrated
- Trap with infinitely height-adjustable inlet pipe integrated
- Integrated fastening rail for fastening washbasins and double towel rail
- Wall inlet connection height: 45 60 cm from finished floor
- Water supply connection height: 50 65 cm from finished floor
- Distance from element centre to angle stop valve 4 8 cm
- Tran hidden
- Washbasin installation height: 82 cm from finished floor
- Washbasin fastening distance 13 31 cm, enlargeable to 45 cm
- Wall-mounted tap height: 104 cm from finished floor
- Preposistioned retainer for tap connection to 2-hole wall-mounted taps
- Drawers


Scope of Delivery

- · Washbasin element with front and side cladding
- Fastening material for solid wall
- · Mounting plate for mixer
- Water supply connection set with 2 reinforced braided hoses, 2 connection bends 90° Rp 1/2 and G 3/8 and 2 angle stop valves R 1/2
- 2 extensions (left and right) with telescopic slide
- Washbasin trap with outlet pipe and union nut G 1-1/4
- 2 outlet pipes (dia. 32 mm and dia. 40 mm)
- Set of seals
- Cover profile for fastening rail





Deck mounted tap




0

No drawers

131.051.SI.1

131.051.SJ.1





•	Right-side drawer	Drawers on left and right sides
	131.049.SI.1	131.050.SI.1
	131.049.SJ.1	131.050.SJ.1
	404 040 004	101050001

 umber
 131.051.SQ.1
 131.048.SQ.1
 131.049.SQ.1
 131.050.SQ.1

 sand
 131.051.TG.1
 131.048.TG.1
 131.049.TG.1
 131.050.TG.1

 MRP:₹157,500
 MRP:₹186,500
 MRP:₹186,500
 MRP:₹215,000

Left-side drawer

131.048.SI.1

131.048.SJ.1

Characteristics

Colour

white

black

- Connection to drinking water supply integrated
- Trap with infinitely height-adjustable inlet pipe integrated
- · Waste plug infinitely height-adjustable
- Integrated fastening rail for fastening washbasins and double towel rail
- Sanitary module with front cladding made of toughened safety glass (ESG) and lateral cladding made of brushed aluminium
- Wall inlet connection height: 45 60 cm from finished floor
- Water supply connection height: 50 65 cm from finished floor
- Distance from element centre to angle stop valve 4 8 cm
- Tran hidden
- · Washbasin installation height: 82 cm from finished floor
- Washbasin fastening distance 13 31 cm, enlargeable to 45 cm
- Drawers that can be pulled out at the sides, with mechanical opening support

Scope of Delivery

- Washbasin element with front and side cladding
- Fastening material for solid wall
- 2 extensions (left and right) with telescopic slide

Colours

- 2 angle stop valves R 1/2"
- Washbasin trap with outlet pipe and union nut G 1-1/4
- 2 outlet pipes (dia. 32 mm and dia. 40 mm)
- Set of seals
- · Cover profile for fastening rail
- · Extension to valve

Geberit Monolith sanitary modules for washbasins

Accessories

Soap dispenser



Article No.: 131.119.00.1 Description: soap dispenser MRP: ₹15,015

Characteristics

• Fastening in drawer with magnetic tape

Application Purpose

· For Geberit Monolith sanitary modules for washbasins with drawer

Towel rail




Article No.: 131.109.21.1 Colour: double towel rail, 31 cm MRP: ₹7,505

Article No.: 131.110.21.1 Colour: double towel rail, 41 cm MRP: ₹9,530

Characteristics

- · Emco towel rail, series emcoloft
- Chromium Plated
- Length 31 cm &41 cm

Railing for Monolith washbasin with drawers



Colour: double towel rail, 31 cm MRP: ₹4,335

Article No.: 131.137.94.1 Colour: double towel rail, 41 cm MRP• ₹4 335

Characteristic

- · Fastening in drawer with magnetic tape
- Length (L) 22 cm & 15.9 cm
- Breadth (B) 3.2 cm

Application Purpose

- For Geberit Monolith sanitary modules for washbasins with drawer
- For top, short drawer compartment
- For bottom drawer compartments

Geberit Traps for Wash Basin



Article No.: 151.034.11.1 **Colour:** white, 32 mm **MRP:** ₹2,290

Article No.: 151.035.11.1 **Colour:** white, 40 mm **MRP:** ₹2,290

Article No.: 151.035.21.1 Colour: chrome plated hi-gloss, 40 mm MRP: ₹4,180

Article No.: 151.034.21.1 Colour: chrome plated hi-gloss, 32 mm MRP: ₹4,180



Article No.: 170.103.11.1 Colour: white, 32 mm MRP: ₹1,230

Scope of Delivery


- Odour trap
- Inlet pipe with union nut
- Rosette
- Outlet pipe with rosetteSeals

Application Purpose

• For washbasin



Article No.: 151.116.11.1 Colour: white alpine, 32 mm MRP: ₹2 900




Article No.: 151.117.11.1 **Colour:** white alpine, 40 mm **MRP:** ₹2,900

Scope of Delivery

- Seals
- Connection bend with union nut


Application Purpose

 For space-saving connection of washbasins in bathroom furniture



Clear added values with the flooreven shower solutions from Geberit.





Geberit wall drain for shower.

Our elegant design solution in the wall.



Geberit shower channels CleanLine.

Our solution for elegant designer lines in the floor.



Fine design from Geberit:

- → high-quality and beautiful
- → reliable thanks to injected sealing foil
- → simple handling from order to installation
- → integrated acoustic insulation
- \rightarrow for new construction and conversions
- → lean assortment with rapid supply readiness
- → easy to clean

Geberit wall drain for shower.


Our design solution in the wall.





A pleasure to the eye - and to the professional

Geberit kombifix element for shower, with wall drained 40, low construction height



Scope of Delivery


- · Straight connector, made of PE-HD, 40 mm
- · Protection box cover with integrated outlet sheet
- · Fastening material



Discharge rate: 0.41/s Depth of water seal.: 30 mm

Article No.: 457.536.00.1 MRP: ₹26,400

Four drain cover options for a personal touch, ready to fit set



Article No.: 154.335.21.1

Discription: bright chrome plated (plastic)

MRP: ₹5.610

Scope of Delivery

- Cover
- Hair trap
- Allen key

Bright chrome-plated

White alpine

Article No.: 154.335.11.1 Discription: white alpine (plastic)

MRP: ₹4,400

Stainless steel brushed



Article No.: 154.336.FW.1 Discription: stainless steel

MRP: ₹8,800

Can be tiled according to preference



Article No.: 154.339.00.1 Discription: stainless steel

MRP: ₹8,800

Scope of Delivery

- · Tile-bearing plate
- Hair trap
- · Allen key



Article No.: 154.338.00.1 **Discription:** stainless steel

MRP: ₹5,610


Geberit shower channel CleanLine.

Our simple and compact solution.



Easy to install - and clean

Application Water seal








Article No.: 154.150.00.1 Hight: 90 mm MRP: ₹14,600


Installation set







Article No.: 154.152.00.1 Hight: 65 mm MRP: ₹14,600







Article No.: 154.153.00.1 Cross Floor MRP: ₹6,875

Scope of Delivery

- · Comb insert
- Inlet connector with compensation ring
- · 2 end pieces, pluggable



CleanLine20 dark metal / metal brushed

Article No.: 154.450.00.1 Length: 30 - 90 cm MRP: ₹23,100

Article No.: 154.451.00.1 Length: 30 - 130 cm MRP: ₹34,100



CleanLine60 dark metal / metal brushed

MRP: ₹28,600

Article No.: 154.456.00.1 **Length:** 30 - 90 cm

Article No.: 154.457.00.1 Length: 30 - 130 cm MRP: ₹42.900



CleanLine20
metal polished / metal brushed

Article No.: 154.450.KS.1 Length: 30 - 90 cm MRP: ₹23,100

Article No.: 154.451.KS.1 Length: 30 - 130 cm MRP: ₹34,100




CleanLine60

metal polished / metal brushed

Article No.: 154.456.KS.1 Length: 30 - 90 cm MRP: ₹28,600


Article No.: 154.457.KS.1 **Length:** 30 - 130 cm **MRP:** ₹42.900




CleanLine60 thin

Article No.: 154.458.00.1 Length: 30 - 90 cm MRP: ₹28,125

Article No.: 154.459.00.1 Length:30 - 130 cm MRP: ₹40,625



State of the art within plumbing technology (patented air cushion) for shower channel CleanLine and floor drain



Significantly easier installation

Geberit shower channels CleanLine have a twopiece design: a collector surface in stainless steel forms the visible part. Below that is a central trap that is mounted exactly like a floor drain. Thanks to the sealing foil injected at the factory, this is firmly connected to the drain and ensures maximum tightness.



Flexible length and placement

Geberit shower channels
CleanLine can be cut to
length directly at the time of
installation in accordance with
the individual showering area.
The design harmonises with
any floor and can be placed
either close to the wall or in the
middle of the shower area.



Designed for simplicity and cleanliness

Shower channels are often difficult to clean. But not Geberit shower channels CleanLine: the dirt flows off the collector surface perfectly. And the comb insert can be removed and washed out in no time at all.

Geberit Floor drain for showers



A pleasure to the eye - and to the professional

Application

Screed


Water seal

*Article No.: 154.050.00.1 Height: 90 mm




Installation set

Article No.: 154.311.00.1 MRP: ₹10,000 Grating round, 8 x 8 cm



Screed Concrete





Discharge rate





MRP: ₹12,250

*Article No.: 154.052.00.1 Height: 65 mm MRP: ₹12,250



Article No.: 154.312.00.1 MRP: ₹10,000 Grating square, 8 x 8 cm








*Article No.: 154.053.00.1 Cross Floor MRP: ₹8,500



Article No.: 154.310.00.1 MRP: ₹2,050 Grating screwlocked, 8 x 8 cm

*price inclusive of basic grating design



Problem-free installation The proven installation kit for

the Geberit floor drain for shower is very efficient in installation and reliable in its result, e.g. thanks to the sealing foil that is already injected at the factory.



Maximum reduction and precision

The Geberit floor drain for shower convinces with its very compact construction (only 80 × 80 mm grating area) and with its very high functionality. The height, inclination and offset of the grating can be adjusted to suit the tile grid.



Always a clean trap Under the grating, there is an

integrated comb insert which can be easily removed and washed out for cleaning. This effectively prevents clogging in the trap and the discharge



